IPORT108P

IP to Serial Port Converter

- **♦** 10/100Mbps LAN Connection
 - ♦ 8 RS232 Port with 5V power out
 - **♦** Linux based system board



- **★Auto-detecting 10/100Mbps Ethernet interface.**
- **★**Support WIN NT/2000/XP/Vista/7 virtual COM driver.
- **★**Support UNIX & Linux real TTY driver.
- **★**Support TCP server/Client mode.
- **★Support UDP send/receive mode.**
- ★ Support WEB, TELNET and terminal setup.
- ★ Support eight RS232 serial port with 5V power out in pin 9.
- ★ Suitable for bar code reader or scanner application environment.
- ★ Support current limitation feature in 5V power out.

IPORT108P IP to Serial Port Converter Specification:

Hardware Specification:

* CPU: 32bit 100MHz MIPS CPU.

* Flash ROM: 16M Byte. * SDRAM: 16M Byte.

LAN connection:

*Interface: 10/100Mbps 100BaseT

*Connector: RJ45

Serial port:

*Interface: RS232

*connector: DB9 male.

*Port Number: 8.

*speed: upto 230400bps.

NOTE: console port share with serial port 1

NOTE: each serial port can have 5V power

out in pin 9 for external device. Support current limitation to protect abnormal over-load.

Software Compatibility:

*TCP/IP or UDP/IP connection.

*WIN NT/2000/XP/Vista/7 Virtual COM driver.

*LINUX raw TTY driver.

*SCO UNIX real TTY driver.

Power Requirement:

*5VDC @ 1600mA.

Dimension:

205*135*48mm.

Environment:

*Operating temperature: 5--40 °C.

*Operating humidity: 10--90%RH.

*Storage temperature: 0--65 $^{\circ}$ C.

*Storage humidity: 5--90%RH.

Other relative product information:

APORT200: IP to two RS232 serial port converter.

APORT020: IP to two ground isolated RS232 serial port converter.

APORT101: IP to one RS232 and one ground isolated RS422/485 serial port converter.

APORT400: IP to four RS232 serial port converter.

APORT040: IP to four ground isolated RS232 serial port converter.

APORT080: IP to eight ground isolated RS232 serial port converter.

APORT800: IP to eight RS232 serial port converter.

IPORT138I: IP to eight ground isolated RS422/485 serial port converter.

IPORT114: IP to four RS232/RS422/RS485 serial port converter.

IPORT138: IP to eight RS422/RS485 serial port converter.

***All names are the trademarks of their respective organization.

RAYON TECHNOLOGY CO., LTD.



2F, No. 177, Chung_Shan 2 Rd., Lu_Chou city, Taipei Hsien, Taiwan.

TEL: 886-2-82858362 FAX: 886-2-82857065

E-Mail: rayon@ms1.hinet.net

WEB: http://www.computex.com.tw/rayon

WEB: http://www.rayontech.com